

Pain Management & Anti-Inflammatory

1. **Morphine**
 - **Use:** Severe pain relief, often used post-surgery or in trauma.
 2. **Hydromorphone (Dilaudid)**
 - **Use:** Severe pain relief, often used when morphine is not effective.
 3. **Fentanyl**
 - **Use:** Severe pain relief, typically in critical care or during surgery.
 4. **Acetaminophen (Tylenol)**
 - **Use:** Mild to moderate pain and fever reduction.
 5. **Ibuprofen (Advil, Motrin)**
 - **Use:** Mild to moderate pain relief and anti-inflammatory for conditions like arthritis or post-surgery.
 6. **Ketorolac (Toradol)**
 - **Use:** Short-term moderate to severe pain management, often post-surgery.
 7. **Oxycodone/Acetaminophen (Percocet)**
 - **Use:** Moderate to severe pain relief.
-

Antibiotics & Antimicrobials

8. **Ceftriaxone (Rocephin)**
 - **Use:** Broad-spectrum antibiotic used for bacterial infections like pneumonia, sepsis, and meningitis.
 9. **Vancomycin**
 - **Use:** Treats serious infections caused by Gram-positive bacteria, including MRSA.
 10. **Piperacillin/Tazobactam (Zosyn)**
 - **Use:** Broad-spectrum antibiotic for severe infections such as intra-abdominal and respiratory infections.
 11. **Levofloxacin (Levaquin)**
 - **Use:** Treats respiratory, urinary tract, and skin infections.
 12. **Metronidazole (Flagyl)**
 - **Use:** Treats anaerobic bacterial infections and certain parasitic infections.
-

Cardiovascular Medications

13. **Lisinopril**
 - **Use:** ACE inhibitor for treating high blood pressure (hypertension) and heart failure.
14. **Metoprolol**
 - **Use:** Beta-blocker for treating hypertension, angina, and post-heart attack management.

15. **Aspirin**

- **Use:** Antiplatelet used for preventing heart attacks and strokes, as well as pain and inflammation.

16. **Amiodarone**

- **Use:** Antiarrhythmic used for managing serious irregular heart rhythms, such as atrial fibrillation.

17. **Atorvastatin (Lipitor)**

- **Use:** Statin used to lower cholesterol and reduce the risk of cardiovascular events.

18. **Furosemide (Lasix)**

- **Use:** Diuretic for fluid retention in heart failure, liver disease, or kidney disease.

19. **Norepinephrine (Levophed)**

- **Use:** Vasopressor used to treat severe hypotension and shock by increasing blood pressure.

20. **Epinephrine (Adrenaline)**

- **Use:** Used in cardiac arrest, anaphylaxis, and severe asthma attacks to increase heart rate, blood pressure, and airway dilation.
-

Anticoagulants & Blood Thinners

21. **Heparin**

- **Use:** Prevents blood clots, used for deep vein thrombosis (DVT) or pulmonary embolism (PE) prevention.

22. **Warfarin (Coumadin)**

- **Use:** Long-term anticoagulation to prevent blood clots in conditions like atrial fibrillation.

23. **Enoxaparin (Lovenox)**

- **Use:** Low molecular weight heparin for DVT and PE prevention or treatment.

24. **Apixaban (Eliquis)**

- **Use:** Direct oral anticoagulant (DOAC) for stroke prevention in atrial fibrillation and clot treatment.
-

Respiratory Medications

25. **Albuterol**

- **Use:** Bronchodilator for asthma and COPD exacerbations.

26. **Ipratropium/Albuterol (Duoneb)**

- **Use:** Combination inhaler for bronchodilation in COPD and asthma exacerbations.

27. **Dexamethasone**

- **Use:** Steroid for reducing inflammation in respiratory conditions like asthma or COVID-19.
-

Gastrointestinal & Bowel Care Medications

28. Pantoprazole (Protonix)

- **Use:** Proton pump inhibitor for treating gastroesophageal reflux disease (GERD) and preventing stress ulcers in hospitalized patients.

29. Ondansetron (Zofran)

- **Use:** Anti-nausea medication often used post-surgery or for chemotherapy-induced nausea.

30. Metoclopramide (Reglan)

- **Use:** Treats nausea, vomiting, and delayed gastric emptying (gastroparesis).

31. Docusate (Colace)

- **Use:** Stool softener to relieve constipation, commonly used in patients on pain medications.

32. Senna (Senokot)

- **Use:** Stimulant laxative used for constipation relief, often in combination with stool softeners.

33. Polyethylene Glycol (Miralax)

- **Use:** Osmotic laxative for treating occasional constipation and bowel preparation before colonoscopies.

34. Bisacodyl (Dulcolax)

- **Use:** Stimulant laxative for treating constipation.

35. Lactulose

- **Use:** Osmotic laxative used to treat hepatic encephalopathy by reducing ammonia levels and relieving constipation.
-

Endocrine & Metabolic

36. Insulin (Regular, Lispro, Glargine)

- **Use:** Management of blood glucose in diabetic patients.

37. D50 (Dextrose 50%)

- **Use:** Emergency treatment for hypoglycemia (low blood sugar).

38. Levothyroxine (Synthroid)

- **Use:** Treats hypothyroidism by replacing thyroid hormone.
-

Sedation & Anesthesia Medications

39. Propofol

- **Use:** Sedation for mechanically ventilated patients or during surgical procedures.

40. Midazolam (Versed)

- **Use:** Benzodiazepine used for sedation during procedures and in the ICU.

41. Fentanyl

- **Use:** Powerful opioid used for sedation and pain control in ICU or surgical settings.
42. **Dexmedetomidine (Precedex)**
- **Use:** Sedation for ICU patients, especially during mechanical ventilation.
43. **Etomidate**
- **Use:** Short-acting medication used for rapid sequence intubation and brief sedation.
44. **Ketamine**
- **Use:** Provides sedation and pain relief, often used for procedures and in critical care settings.
45. **Lorazepam (Ativan)**
- **Use:** Benzodiazepine used for anxiety, agitation, and sedation in various hospital settings.
46. **Diazepam (Valium)**
- **Use:** Benzodiazepine for anxiety, muscle spasms, and sedation.
-

Miscellaneous Medications

47. **Diphenhydramine (Benadryl)**
- **Use:** Antihistamine for allergic reactions or sedation.
48. **Naloxone (Narcan)**
- **Use:** Opioid overdose reversal.
49. **Haloperidol (Haldol)**
- **Use:** Antipsychotic used for managing agitation, delirium, and psychosis.

This updated list now includes **Levophed**, **Epinephrine**, and several **bowel care medications** alongside sedation and common hospital medications.

40

You said:

can you move levophed and epinephrine to the sedation section

ChatGPT said:

ChatGPT

Here's the revised list with **Levophed** and **Epinephrine** moved to the **Sedation & Anesthesia** section:

Pain Management & Anti-Inflammatory

1. **Morphine**
 - **Use:** Severe pain relief, often used post-surgery or in trauma.
2. **Hydromorphone (Dilaudid)**
 - **Use:** Severe pain relief, often used when morphine is not effective.

3. **Fentanyl**
 - **Use:** Severe pain relief, typically in critical care or during surgery.
 4. **Acetaminophen (Tylenol)**
 - **Use:** Mild to moderate pain and fever reduction.
 5. **Ibuprofen (Advil, Motrin)**
 - **Use:** Mild to moderate pain relief and anti-inflammatory for conditions like arthritis or post-surgery.
 6. **Ketorolac (Toradol)**
 - **Use:** Short-term moderate to severe pain management, often post-surgery.
 7. **Oxycodone/Acetaminophen (Percocet)**
 - **Use:** Moderate to severe pain relief.
-

Antibiotics & Antimicrobials

8. **Ceftriaxone (Rocephin)**
 - **Use:** Broad-spectrum antibiotic used for bacterial infections like pneumonia, sepsis, and meningitis.
 9. **Vancomycin**
 - **Use:** Treats serious infections caused by Gram-positive bacteria, including MRSA.
 10. **Piperacillin/Tazobactam (Zosyn)**
 - **Use:** Broad-spectrum antibiotic for severe infections such as intra-abdominal and respiratory infections.
 11. **Levofloxacin (Levaquin)**
 - **Use:** Treats respiratory, urinary tract, and skin infections.
 12. **Metronidazole (Flagyl)**
 - **Use:** Treats anaerobic bacterial infections and certain parasitic infections.
-

Cardiovascular Medications

13. **Lisinopril**
 - **Use:** ACE inhibitor for treating high blood pressure (hypertension) and heart failure.
14. **Metoprolol**
 - **Use:** Beta-blocker for treating hypertension, angina, and post-heart attack management.
15. **Aspirin**
 - **Use:** Antiplatelet used for preventing heart attacks and strokes, as well as pain and inflammation.
16. **Amiodarone**
 - **Use:** Antiarrhythmic used for managing serious irregular heart rhythms, such as atrial fibrillation.
17. **Atorvastatin (Lipitor)**

- **Use:** Statin used to lower cholesterol and reduce the risk of cardiovascular events.
18. **Furosemide (Lasix)**
- **Use:** Diuretic for fluid retention in heart failure, liver disease, or kidney disease.
-

Anticoagulants & Blood Thinners

19. **Heparin**
- **Use:** Prevents blood clots, used for deep vein thrombosis (DVT) or pulmonary embolism (PE) prevention.
20. **Warfarin (Coumadin)**
- **Use:** Long-term anticoagulation to prevent blood clots in conditions like atrial fibrillation.
21. **Enoxaparin (Lovenox)**
- **Use:** Low molecular weight heparin for DVT and PE prevention or treatment.
22. **Apixaban (Eliquis)**
- **Use:** Direct oral anticoagulant (DOAC) for stroke prevention in atrial fibrillation and clot treatment.
-

Respiratory Medications

23. **Albuterol**
- **Use:** Bronchodilator for asthma and COPD exacerbations.
24. **Ipratropium/Albuterol (Duoneb)**
- **Use:** Combination inhaler for bronchodilation in COPD and asthma exacerbations.
25. **Dexamethasone**
- **Use:** Steroid for reducing inflammation in respiratory conditions like asthma or COVID-19.
-

Gastrointestinal & Bowel Care Medications

26. **Pantoprazole (Protonix)**
- **Use:** Proton pump inhibitor for treating gastroesophageal reflux disease (GERD) and preventing stress ulcers in hospitalized patients.
27. **Ondansetron (Zofran)**
- **Use:** Anti-nausea medication often used post-surgery or for chemotherapy-induced nausea.
28. **Metoclopramide (Reglan)**
- **Use:** Treats nausea, vomiting, and delayed gastric emptying (gastroparesis).
29. **Docusate (Colace)**

- **Use:** Stool softener to relieve constipation, commonly used in patients on pain medications.
30. **Senna (Senokot)**
- **Use:** Stimulant laxative used for constipation relief, often in combination with stool softeners.
31. **Polyethylene Glycol (Miralax)**
- **Use:** Osmotic laxative for treating occasional constipation and bowel preparation before colonoscopies.
32. **Bisacodyl (Dulcolax)**
- **Use:** Stimulant laxative for treating constipation.
33. **Lactulose**
- **Use:** Osmotic laxative used to treat hepatic encephalopathy by reducing ammonia levels and relieving constipation.
-

Endocrine & Metabolic

34. **Insulin (Regular, Lispro, Glargine)**
- **Use:** Management of blood glucose in diabetic patients.
35. **D50 (Dextrose 50%)**
- **Use:** Emergency treatment for hypoglycemia (low blood sugar).
36. **Levothyroxine (Synthroid)**
- **Use:** Treats hypothyroidism by replacing thyroid hormone.
-

Sedation, Anesthesia, & Vasopressors

37. **Propofol**
- **Use:** Sedation for mechanically ventilated patients or during surgical procedures.
38. **Midazolam (Versed)**
- **Use:** Benzodiazepine used for sedation during procedures and in the ICU.
39. **Fentanyl**
- **Use:** Powerful opioid used for sedation and pain control in ICU or surgical settings.
40. **Dexmedetomidine (Precedex)**
- **Use:** Sedation for ICU patients, especially during mechanical ventilation.
41. **Etomidate**
- **Use:** Short-acting medication used for rapid sequence intubation and brief sedation.
42. **Ketamine**
- **Use:** Provides sedation and pain relief, often used for procedures and in critical care settings.
43. **Lorazepam (Ativan)**
- **Use:** Benzodiazepine used for anxiety, agitation, and sedation in various hospital settings.

44. **Diazepam (Valium)**

- **Use:** Benzodiazepine for anxiety, muscle spasms, and sedation.

45. **Norepinephrine (Levophed)**

- **Use:** Vasopressor used in critical care to maintain blood pressure in cases of severe hypotension or shock.

46. **Epinephrine (Adrenaline)**

- **Use:** Vasopressor and inotropic agent for emergency treatment of cardiac arrest, anaphylaxis, and severe hypotension.
-

Miscellaneous Medications

47. **Diphenhydramine (Benadryl)**

- **Use:** Antihistamine for allergic reactions or sedation.

48. **Naloxone (Narcan)**

- **Use:** Opioid overdose reversal.

49. **Haloperidol (Haldol)**

- **Use:** Antipsychotic used for managing agitation, delirium, and psychosis.